

## Chapter 5: Continuity and differentiability.

### Exercise 5.5

1. Differentiate the following with respect to  $x$ .

$$\cos x \cdot \cos 2x \cdot \cos 3x$$

**Solution:**

$$\text{Let } y = \cos x \cdot \cos 2x \cdot \cos 3x$$

Taking logarithm on both the side, we obtain

$$\log y = \log(\cos x \cdot \cos 2x \cdot \cos 3x)$$

$$\Rightarrow \log y = \log(\cos x) + \log(\cos 2x) + \log(\cos 3x)$$

Differentiating both sides with respect to  $x$ , we obtain

$$\frac{1}{y} \frac{dy}{dx} = \frac{1}{\cos x} \frac{d}{dx}(\cos x) + \frac{1}{\cos 2x} \frac{d}{dx}(\cos 2x) + \frac{1}{\cos 3x} \frac{d}{dx}(\cos 3x)$$

$$\Rightarrow \frac{dy}{dx} = y \left[ -\frac{\sin x}{\cos x} - \frac{\sin 2x}{\cos 2x} \frac{d}{dx}(2x) - \frac{\sin 3x}{\cos 3x} \frac{d}{dx}(3x) \right]$$

$$\therefore \frac{dy}{dx} = -\cos x \cdot \cos 2x \cdot \cos 3x [\tan x + 2 \tan 2x + 3 \tan 3x]$$

2. Differentiate the functions with respect to  $x$ .

$$\frac{\sqrt{(x-1)(x-2)}}{\sqrt{(x-3)(x-4)(x-5)}}$$

**Solution:**

$$\text{Let } y = \sqrt{\frac{(x-1)(x-2)}{(x-3)(x-4)(x-5)}}$$

Taking logarithm on both the side, we obtain

$$\log y = \log \sqrt{\frac{(x-1)(x-2)}{(x-3)(x-4)(x-5)}}$$

$$\Rightarrow \log y = \frac{1}{2} \log \left[ \frac{(x-1)(x-2)}{(x-3)(x-4)(x-5)} \right]$$

$$\Rightarrow \log y = \frac{1}{2} \left[ \log \{(x-1)(x-2)\} - \log \{(x-3)(x-4)(x-5)\} \right]$$

$$\Rightarrow \log y = \frac{1}{2} \left[ \log(x-1) + \log(x-2) - \log(x-3) - \log(x-4) - \log(x-5) \right]$$

Differentiating both sides with respect to, we obtain

$$\frac{1}{y} \frac{dy}{dx} = \frac{1}{2} \left[ \frac{1}{x-1} \frac{d}{dx}(x-1) + \frac{1}{x-2} \frac{d}{dx}(x-2) - \frac{1}{x-3} \frac{d}{dx}(x-3) - \frac{1}{x-4} \frac{d}{dx}(x-4) - \frac{1}{x-5} \frac{d}{dx}(x-5) \right]$$

$$\Rightarrow \frac{dy}{dx} = \frac{y}{2} \left( \frac{1}{x-1} + \frac{1}{x-2} - \frac{1}{x-3} - \frac{1}{x-4} - \frac{1}{x-5} \right)$$

$$\therefore \frac{dy}{dx} = \frac{1}{2} \sqrt{\frac{(x-1)(x-2)}{(x-3)(x-4)(x-5)}} \left[ \frac{1}{x-1} + \frac{1}{x-2} - \frac{1}{x-3} - \frac{1}{x-4} - \frac{1}{x-5} \right]$$

3. Differentiate the functions with respect to x.

$$(\log x)^{\cos x}$$

**Solution:**

$$\text{Let } y = (\log x)^{\cos x}$$

Taking logarithm on both the side, we obtain

$$\log y = \cos x \cdot \log(\log x)$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{y} \frac{dy}{dx} = \frac{d}{dx}(\cos x) \times \log(\log x) + \cos x \times \frac{d}{dx}[\log(\log x)]$$

$$\Rightarrow \frac{1}{y} \frac{dy}{dx} = -\sin x \log(\log x) + \cos x \times \frac{1}{\log x} \frac{d}{dx}(\log x)$$

$$\Rightarrow \frac{dy}{dx} = y \left[ -\sin x \log(\log x) + \frac{\cos x}{\log x} \times \frac{1}{x} \right]$$

$$\therefore \frac{dy}{dx} = (\log x)^{\cos x} \left[ \frac{\cos x}{x \log x} - \sin x \times \log(\log x) \right]$$

4. Differentiate the functions with respect to x.

$$x^x - 2^{\sin x}$$

**Solution:**

$$\text{Let } y = x^x - 2^{\sin x}$$

$$\text{Also, let } x^x = u \text{ and } 2^{\sin x} = v$$

$$\therefore y = u - v$$

$$\Rightarrow \frac{dy}{dx} = \frac{du}{dx} - \frac{dv}{dx}$$

$$u = x^x$$

Taking logarithm on both sides, we obtain

$$\log u = x \log x$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{u} \frac{du}{dx} = \left[ \frac{d}{dx}(x) \times \log x + x \times \frac{d}{dx}(\log x) \right]$$

$$\Rightarrow \frac{du}{dx} = u \left[ 1 \times \log x + x \times \frac{1}{x} \right]$$

$$\Rightarrow \frac{du}{dx} = x^x (\log x + 1)$$

$$\Rightarrow \frac{du}{dx} = x^x (1 + \log x)$$

$$v = 2^{\sin x}$$

Taking logarithm on both the sides with respect to x, we obtain

$$\log v = \sin x \cdot \log 2$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{v} \frac{dv}{dx} = \log 2 \frac{d}{dx}(\sin x)$$

$$\Rightarrow \frac{dv}{dx} = v \log 2 \cos x$$

$$\Rightarrow \frac{dv}{dx} = 2^{\sin x} \cos x \log 2$$

$$\therefore \frac{dv}{dx} = x^2(1 + \log x) - 2^{\sin x} \cos x \log 2$$

5. Differentiate the functions with respect to x.

$$(x+3)^2 \cdot (x+4)^3 \cdot (x+5)^4$$

**Solution:**

$$\text{Let } y = (x+3)^2 (x+4)^3 (x+5)^4$$

Taking logarithm on both sides, we obtain

$$\log y = \log (x+3)^2 + \log (x+4)^3 + \log (x+5)^4$$

$$\Rightarrow \log y = 2 \log (x+3) + 3 \log (x+4) + 4 \log (x+5)$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{y} \frac{dy}{dx} = 2 \cdot \frac{1}{x+3} \frac{d}{dx}(x+3) + 3 \cdot \frac{1}{x+4} \frac{d}{dx}(x+4) + 4 \cdot \frac{1}{x+5} \frac{d}{dx}(x+5)$$

$$\Rightarrow \frac{dy}{dx} = y \left[ \frac{2}{x+3} + \frac{3}{x+4} + \frac{4}{x+5} \right]$$

$$\Rightarrow \frac{dy}{dx} = (x+3)^2 (x+4)^3 (x+5)^4 \left[ \frac{2}{x+3} + \frac{3}{x+4} + \frac{4}{x+5} \right]$$

$$\Rightarrow \frac{dy}{dx} = (x+3)^2 (x+4)^3 (x+5)^4 \left[ \frac{2(x+4)(x+5) + 3(x+3)(x+5) + 4(x+3)(x+4)}{(x+3)(x+4)(x+5)} \right]$$

$$\Rightarrow \frac{dy}{dx} = (x+3)(x+4)^2 (x+5)^3 \cdot [2(x^2 + 9x + 20) + 3(x^2 + 9x + 15) + 4(x^2 + 7x + 12)]$$

$$\therefore \frac{dy}{dx} = (x+3)(x+4)^2(x+5)^3(9x^2+70x+133)$$

6. Differentiate the function with respect to x.

$$\left(x + \frac{1}{x}\right)^x + x^{\left(1 + \frac{1}{x}\right)}$$

**Solution:**

$$\text{Let } y = \left(x + \frac{1}{x}\right)^x + x^{\left(1 + \frac{1}{x}\right)}$$

$$\text{Also, let } u = \left(x + \frac{1}{x}\right)^x \text{ and } v = x^{\left(1 + \frac{1}{x}\right)}$$

$$\therefore y = u + v$$

$$\Rightarrow \frac{dy}{dx} = \frac{du}{dx} + \frac{dv}{dx} \quad \dots\dots\dots(1)$$

$$\text{Then, } u = \left(x + \frac{1}{x}\right)^x$$

Taking log on both sides

$$\Rightarrow \log u = \log \left(x + \frac{1}{x}\right)^x$$

$$\Rightarrow \log u = x \log \left(x + \frac{1}{x}\right)$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{u} \frac{du}{dx} = \frac{d}{dx} (x) \times \log \left(x + \frac{1}{x}\right) + x \times \frac{d}{dx} \left[ \log \left(x + \frac{1}{x}\right) \right]$$

$$\Rightarrow \frac{1}{u} \frac{du}{dx} = 1 \times \log \left(x + \frac{1}{x}\right) + x \times \frac{1}{\left(x + \frac{1}{x}\right)} \frac{d}{dx} \left(x + \frac{1}{x}\right)$$

$$\Rightarrow \frac{du}{dx} = u \left[ \log \left( x + \frac{1}{x} \right) + \frac{x}{\left( x + \frac{1}{x} \right)} x \left( x + \frac{1}{x^2} \right) \right]$$

$$\Rightarrow \frac{du}{dx} = \left( x + \frac{1}{x} \right)^x \left[ \log \left( x + \frac{1}{x} \right) + \frac{\left( x - \frac{1}{x} \right)}{\left( x + \frac{1}{x} \right)} \right]$$

$$\Rightarrow \frac{du}{dx} = \left( x + \frac{1}{x} \right)^x \left[ \log \left( x + \frac{1}{x} \right) + \frac{x^2 - 1}{x^2 + 1} \right]$$

$$\Rightarrow \frac{du}{dx} = \left( x + \frac{1}{x} \right)^x \left[ \frac{x^2 - 1}{x^2 + 1} + \log \left( x + \frac{1}{x} \right) \right] \dots\dots\dots (2)$$

$$v = x^{\left( x + \frac{1}{x} \right)}$$

Taking log on both sides, we obtain

$$v = x^{\left( x + \frac{1}{x} \right)}$$

$$\Rightarrow \log v = \left( 1 + \frac{1}{x} \right) \log x$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{v} \frac{dv}{dx} = \left[ \frac{d}{dx} \left( 1 + \frac{1}{x} \right) \right] \times \log x + \left( 1 + \frac{1}{x} \right) \frac{d}{dx} \log x$$

$$\Rightarrow \frac{1}{v} \frac{dv}{dx} = \left( -\frac{1}{x^2} \right) \log x + \left( 1 + \frac{1}{x} \right) \frac{1}{x}$$

$$\Rightarrow \frac{1}{v} \frac{dv}{dx} = -\frac{\log x}{x^2} + \frac{1}{x} + \frac{1}{x^2}$$

$$\Rightarrow \frac{dv}{dx} = v \left[ \frac{-\log x + x + 1}{x^2} \right]$$

$$\Rightarrow \frac{dv}{dx} = x^{\left(x+\frac{1}{x}\right)} \left( \frac{x+1-\log x}{x^2} \right) \dots\dots\dots(3)$$

Therefore, from (1), (2) and (3), we obtain

$$\frac{dy}{dx} = \left(x + \frac{1}{x}\right)^x \left[ \frac{x^2-1}{x^2+1} + \log\left(x + \frac{1}{x}\right) \right] + x^{\left(x+\frac{1}{x}\right)} \left( \frac{x+1-\log x}{x^2} \right)$$

7. Differentiate the functions with respect to x.

$$(\log x)^x + x^{\log x}$$

**Solution:**

$$\text{Let } y = (\log x)^x + x^{\log x}$$

$$\text{Also, let } u = (\log x)^x \text{ and } v = x^{\log x}$$

$$\therefore y = u + v$$

$$\Rightarrow \frac{dy}{dx} = \frac{du}{dx} + \frac{dv}{dx} \dots\dots\dots(1)$$

$$u = (\log x)^x$$

$$\Rightarrow \log u = \log [(\log x)^x]$$

$$\Rightarrow \log u = x \log(\log x)$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{u} \frac{du}{dx} = \frac{d}{dx} (x) \log(\log x) + x \cdot \frac{d}{dx} [\log(\log x)]$$

$$\Rightarrow \frac{du}{dx} = u \left[ 1 \cdot x \log(\log x) + x \cdot \frac{1}{\log x} \frac{d}{dx} (\log x) \right]$$

$$\Rightarrow \frac{du}{dx} = (\log x)^x \left[ \log(\log x) + \frac{x}{\log x} \frac{1}{x} \right]$$

$$\Rightarrow \frac{du}{dx} = (\log x)^x \left[ \log(\log x) + \frac{1}{\log x} \right]$$

$$\Rightarrow \frac{du}{dx} = (\log x)^x \left[ \frac{\log(\log x) \cdot \log x + 1}{\log x} \right]$$

$$\Rightarrow \frac{du}{dx} = (\log x)^{x-1} [1 + \log x \cdot \log(\log x)] \quad \dots\dots\dots(2)$$

$$v = x^{\log x}$$

$$\Rightarrow \log v = \log(x^{\log x})$$

$$\Rightarrow \log v = \log x \log x = (\log x)^2$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{v} \frac{dv}{dx} = \frac{d}{dx} [(\log x)^2]$$

$$\Rightarrow \frac{1}{v} \frac{dv}{dx} = 2(\log x) \frac{d}{dx}(\log x)$$

$$\Rightarrow \frac{dv}{dx} = 2x^{\log x} \frac{\log x}{x}$$

$$\Rightarrow \frac{dv}{dx} = 2x^{\log x - 1} \log x \quad \dots\dots\dots(3)$$

Therefore, from (1), (2) and (3), we obtain

$$\frac{dy}{dx} = (\log x)^{x-1} [1 + \log x \cdot \log(\log x)] + 2x^{\log x - 1} \log x$$

8. Differentiate the functions with respect to x

$$(\sin x)^x + \sin^{-1} \sqrt{x}$$

**Solution:**

$$\text{Let } y = (\sin x)^x + \sin^{-1} \sqrt{x}$$

$$\text{Also, let } u = (\sin x)^x \text{ and } v = \sin^{-1} \sqrt{x}$$

$$\therefore y = u + v$$



$$\Rightarrow \frac{dy}{dx} = \frac{du}{dx} - \frac{dv}{dx} \quad \dots\dots\dots(1)$$

$$u = (\sin x)^x$$

$$\Rightarrow \log u = \log (\sin x)^x$$

$$\Rightarrow \log u = x \log (\sin x)$$

Differentiating both sides with respect to x, we obtain

$$\Rightarrow \frac{1}{u} \frac{du}{dx} = \frac{d}{dx} (x) \times \log (\sin x) + x \times \frac{d}{dx} [\log (\sin x)]$$

$$\Rightarrow \frac{du}{dx} = u \left[ 1 \cdot \log (\sin x) + x \cdot \frac{1}{\sin x} \frac{d}{dx} (\sin x) \right]$$

$$\Rightarrow \frac{du}{dx} = (\sin x)^x \left[ \log (\sin x) + \frac{x}{\sin x} \cdot \cos x \right]$$

$$\Rightarrow \frac{du}{dx} = (\sin x)^x (x \cot x + \log \sin x) \quad \dots\dots\dots(2)$$

$$v = \sin^{-1} \sqrt{x}$$

Differentiating both sides with respect to x, we obtain

$$\frac{dv}{dx} = \frac{1}{\sqrt{1-(\sqrt{x})^2}} \frac{d}{dx} (\sqrt{x})$$

$$\Rightarrow \frac{dv}{dx} = \frac{1}{\sqrt{1-x}} \frac{1}{2\sqrt{x}}$$

$$\Rightarrow \frac{dv}{dx} = \frac{1}{2\sqrt{x-x^2}} \quad \dots\dots\dots(3)$$

Therefore, from (1), (2) and (3) we obtain

$$\frac{dy}{dx} = (\sin x)^2 (x \cot x + \log \sin x) + \frac{1}{2\sqrt{x-x^2}}$$

9. Differentiate the function with respect to x.

$$x^{\sin x} + (\sin x)^{\cos x}$$

**Solution:**

$$\text{Let } y = x^{\sin x} + (\sin x)^{\cos x}$$

$$\text{Also } u = x^{\sin x} \text{ and } v = (\sin x)^{\cos x}$$

$$\therefore y = u + v$$

$$\Rightarrow \frac{dy}{dx} = \frac{du}{dx} + \frac{dv}{dx} \quad \dots\dots(1)$$

$$u = x^{\sin x}$$

$$\Rightarrow \log u = \log(x^{\sin x})$$

$$\Rightarrow \log u = \sin x \log x$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{u} \frac{du}{dx} = \frac{d}{dx}(\sin x) \cdot \log x + \sin x \frac{d}{dx}(\log x)$$

$$\Rightarrow \frac{du}{dx} = u \left[ \cos x \log x + \sin x \cdot \frac{1}{x} \right]$$

$$\Rightarrow \frac{du}{dx} = x^{\sin x} \left[ \cos x \log x + \frac{\sin x}{x} \right] \quad \dots\dots\dots(2)$$

$$v = (\sin x)^{\cos x}$$

$$\Rightarrow \log v = \log(\sin x)^{\cos x}$$

$$\Rightarrow \log v = \cos x \log(\sin x)$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{v} \frac{dv}{dx} = \frac{d}{dx}(\cos x) \times \log(\sin x) + \cos x \times \frac{d}{dx}[\log(\sin x)]$$

$$\Rightarrow \frac{dv}{dx} = v \left[ -\sin x \cdot \log(\sin x) + \cos x \cdot \frac{1}{\sin x} \frac{d}{dx}(\sin x) \right]$$

$$\Rightarrow \frac{dv}{dx} = (\sin x)^{\cos x} \left[ -\sin x \cdot \log \sin x + \frac{\cos x}{\sin x} \cos x \right]$$

$$\Rightarrow \frac{dv}{dx} = (\sin x)^{\cos x} [-\sin x \log \sin x + \cot x \cos x]$$

$$\Rightarrow \frac{dv}{dx} = (\sin x)^{\cos x} [\cot x \cos x - \sin x \log \sin x] \quad \dots(3)$$

Therefore, from (1), (2) and (3) we obtain

$$\frac{dy}{dx} = x^{\sin x} \left( \cos x \log x + \frac{\sin x}{x} \right) + (\sin x)^{\cos x} [\cos x \cot x - \sin x \log \sin x]$$

10. Differentiate the function with respect to x.

$$x^{x \cos x} + \frac{x^2 + 1}{x^2 - 1}$$

**Solution:**

$$\text{Let } y = x^{x \cos x} + \frac{x^2 + 1}{x^2 - 1}$$

$$\text{Also, let } u = x^{x \cos x} \text{ and } v = \frac{x^2 + 1}{x^2 - 1}$$

$$\Rightarrow \frac{dy}{dx} = \frac{du}{dx} + \frac{dv}{dx}$$

$$\therefore y = u + v$$

$$u = x^{x \cos x}$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{u} \frac{du}{dx} = \frac{d}{dx} (x) \cos x \log x + x \frac{d}{dx} (\cos x) \log x + x \cos x \frac{d}{dx} (\log x)$$

$$\Rightarrow \frac{du}{dx} = u \left[ 1 \cdot \cos x \cdot \log x + x \cdot (-\sin x) \log x + x \cos x \cdot \frac{1}{x} \right]$$

$$\Rightarrow \frac{du}{dx} = x^{x \cos x} (\cos x \log x - x \sin x \log x + \cos x)$$

$$\Rightarrow \frac{du}{dx} = x^{x \cos x} [\cos x (1 + \log x) - x \sin x \log x] \quad \dots\dots\dots(2)$$

$$v = \frac{x^2 + 1}{x^2 - 1}$$

$$\Rightarrow \log v = \log(x^2 + 1) - \log(x^2 - 1)$$

Differentiating both sides with respect to  $x$ , we obtain

$$\frac{1}{v} = \frac{dv}{dx} = \frac{2x}{x^2 + 1} - \frac{2x}{x^2 - 1}$$

$$\Rightarrow \frac{dv}{dx} = v \left[ \frac{2x(x^2 - 1) - 2x(x^2 + 1)}{(x^2 + 1)(x^2 - 1)} \right]$$

$$\Rightarrow \frac{dv}{dx} = \frac{x^2 + 1}{x^2 - 1} \times \left[ \frac{-4x}{(x^2 + 1)(x^2 - 1)} \right]$$

$$\Rightarrow \frac{dv}{dx} = \frac{-4x}{(x^2 - 1)^2} \quad \dots\dots\dots(3)$$

Therefore, from (1), (2) and (3) we obtain

$$\frac{dy}{dx} = x^{\cos x} \left[ \cos x(1 + \log x) - x \sin x \log x \right] - \frac{4x}{(x^2 - 1)^2}$$

11. Differentiate the function with respect to  $x$ .

$$(x \cos x)^x + (x \sin x)^{\frac{1}{x}}$$

**Solution:**

$$\text{Let } y = (x \cos x)^x + (x \sin x)^{\frac{1}{x}}$$

$$\text{Also, let } u = (x \cos x)^x \text{ and } v = (x \sin x)^{\frac{1}{x}}$$

$$\therefore y = u + v$$

$$\Rightarrow \frac{dy}{dx} = \frac{du}{dx} + \frac{dv}{dx} \quad \dots\dots\dots(1)$$

$$u = (x \cos x)^x$$

$$\Rightarrow \log u = \log(x \cos x)^x$$

$$\Rightarrow \log u = x \log(x \cos x)$$

$$\Rightarrow \log u = x[\log x + \log \cos x]$$

$$\Rightarrow \log u = x \log x + x \log \cos x$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{u} \frac{du}{dx} = \frac{d}{dx}(x + \log x) + \frac{d}{dx}(x \log \cos x)$$

$$\Rightarrow \frac{du}{dx} = u \left[ \left\{ \log x \frac{d}{dx}(x) + x \frac{d}{dx}(\log x) \right\} + \left\{ \log \cos x \frac{d}{dx}(x) + x \frac{d}{dx}(\log \cos x) \right\} \right]$$

$$\Rightarrow \frac{du}{dx} = (x \cos x)^x \left[ \left( \log x \cdot 1 + x \cdot \frac{1}{x} \right) + \left\{ \log \cos x \cdot 1 + x \cdot \frac{1}{\cos x} \cdot \frac{d}{dx}(\cos x) \right\} \right]$$

$$\Rightarrow \frac{du}{dx} = (x \cos x)^x \left[ \left( \log x \cdot 1 + x \cdot \frac{1}{x} \right) + \left\{ \log \cos x \cdot 1 + x \cdot \frac{1}{\cos x} \cdot \frac{d}{dx}(\cos x) \right\} \right]$$

$$\Rightarrow \frac{du}{dx} = (x \cos x)^x \left[ (\log x + 1) + \left\{ \log \cos x + \frac{x}{\cos x}(-\sin x) \right\} \right]$$

$$\Rightarrow \frac{du}{dx} = (x \cos x)^x \left[ (1 + \log x) + (\log \cos x - x \tan x) \right]$$

$$\Rightarrow \frac{du}{dx} = (x \cos x)^x \left[ 1 - x \tan x + (\log x + \log \cos x) \right]$$

$$\Rightarrow \frac{du}{dx} = (x \cos x)^x \left[ 1 - x \tan x + \log(x \cos x) \right] \dots\dots\dots(2)$$

$$v = (x \sin x)^{\frac{1}{x}}$$

$$\Rightarrow \log v = \log (x \sin x)^{\frac{1}{x}}$$

$$\Rightarrow \log v = \frac{1}{x} \log(x \sin x)$$

$$\Rightarrow \log v = \frac{1}{x} (\log x + \log \sin x)$$

$$\Rightarrow \log v = \frac{1}{x} \log x + \frac{1}{x} \log \sin x$$

Differentiating both sides with respect to  $x$ , we obtain

$$\begin{aligned} \frac{1}{v} \frac{dv}{dx} &= \frac{d}{dx} \left( \frac{1}{x} \log x \right) + \frac{d}{dx} \left[ \frac{1}{x} \log (\sin x) \right] \\ \Rightarrow \frac{1}{v} \frac{dv}{dx} &= \left[ \log x \cdot \frac{d}{dx} \left( \frac{1}{x} \right) + \frac{1}{x} \cdot \frac{d}{dx} (\log x) \right] + \left[ \log (\sin x) \cdot \frac{d}{dx} \left( \frac{1}{x} \right) + \frac{1}{x} \cdot \frac{d}{dx} \{ \log (\sin x) \} \right] \\ \Rightarrow \frac{1}{v} \frac{dv}{dx} &= \left[ \log x \cdot \left( -\frac{1}{x^2} \right) + \frac{1}{x} \cdot \frac{1}{x} \right] + \left[ \log (\sin x) \cdot \left( -\frac{1}{x^2} \right) + \frac{1}{x} \cdot \frac{1}{\sin x} \cdot \frac{d}{dx} (\sin x) \right] \\ \Rightarrow \frac{1}{v} \frac{dv}{dx} &= \frac{1}{x^2} (1 - \log x) + \left[ -\frac{\log (\sin x)}{x^2} + \frac{1}{x \sin x} \cdot \cos x \right] \\ \Rightarrow \frac{1}{v} \frac{dv}{dx} &= \frac{1}{x^2} (x \sin x)^{\frac{1}{x}} + \left[ \frac{1 - \log x}{x^2} + \frac{-\log (\sin x) + x \cot x}{x^2} \right] \\ \Rightarrow \frac{dv}{dx} &= (x \sin x)^{\frac{1}{x}} \left[ \frac{1 - \log x - \log (\sin x) + x \cot x}{x^2} \right] \\ \Rightarrow \frac{dv}{dx} &= (x \sin x)^{\frac{1}{x}} \left[ \frac{1 - \log (x \sin x) + x \cot x}{x^2} \right] \dots (3) \end{aligned}$$

Therefore, from (1), (2) and (3), we obtain

$$\frac{dy}{dx} = (x \cos x)^2 [1 - x \tan x + \log (x \cos x)] + (x \sin x)^{\frac{1}{x}} \left[ \frac{x \cot x + 1 - \log (x \sin x)}{x^2} \right]$$

12. Find  $\frac{dy}{dx}$  of function.

$$x^y + y^x = 1$$

**Solution:**

The given function is  $x^y + y^x = 1$

Let  $x^y = u$  and  $y^x = v$

Then, the function becomes  $u + v = 1$

$$\therefore \frac{du}{dx} + \frac{dv}{dx} = 0 \quad \dots\dots(1)$$

$$u = x^y$$

$$\Rightarrow \log u = \log(x^y)$$

$$\Rightarrow \log u = y \log x$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{u} \frac{du}{dx} = \log x \frac{dy}{dx} + y \cdot \frac{d}{dx}(\log x)$$

$$\Rightarrow \frac{du}{dx} = u \left[ \log x \frac{dy}{dx} + y \cdot \frac{1}{x} \right]$$

$$\Rightarrow \frac{du}{dx} = x^y \left( \log x \frac{dy}{dx} + \frac{y}{x} \right) \quad \dots\dots(2)$$

$$v = y^x$$

$$\Rightarrow \log v = \log(y^x)$$

$$\Rightarrow \log v = x \log y$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{v} \frac{dv}{dx} = \log y \frac{d}{dx}(x) + x \cdot \frac{d}{dx}(\log y)$$

$$\Rightarrow \frac{dv}{dx} = v \left( \log y \cdot 1 + x \cdot \frac{1}{y} \cdot \frac{d}{dx} \right)$$

$$\Rightarrow \frac{dv}{dx} = y^x \left( \log y + \frac{x}{y} \frac{dy}{dx} \right) \quad \dots\dots\dots(3)$$

Therefore, from (1), (2) and (3) we obtain

$$x^y \left( \log x \frac{dy}{dx} + \frac{y}{x} \right) + y^x \left( \log y + \frac{x}{y} \frac{dy}{dx} \right) = 0$$

$$\Rightarrow (x^2 + \log x + xy^{y-1}) \frac{dy}{dx} = -(yx^{y-1} + y^x \log y)$$

$$\therefore \frac{dy}{dx} = -\frac{yx^{y-1} + y^x \log y}{x^y \log x + xy^{x-1}}$$

13. Find  $\frac{dy}{dx}$  of function  $y^x = x^y$

**Solution:**

The given function is  $y^x = x^y$

Taking logarithm on both sides, we obtain

$$x \log y = y \log x$$

Differentiating both sides with respect to  $x$ , we obtain

$$\log y \cdot \frac{d}{dx}(x) + x \cdot \frac{d}{dx}(\log y) = \log x \cdot \frac{d}{dx}(y) + y \cdot \frac{d}{dx}(\log x)$$

$$\Rightarrow \log y \cdot 1 + x \cdot \frac{1}{y} \cdot \frac{dy}{dx} = \log x \cdot \frac{dy}{dx} + y \cdot \frac{1}{x}$$

$$\Rightarrow \log y + \frac{x}{y} \frac{dy}{dx} = \log x \frac{dy}{dx} + \frac{y}{x}$$

$$\Rightarrow \left( \frac{x}{y} - \log x \right) \frac{dy}{dx} = \frac{y}{x} - \log y$$

$$\Rightarrow \left( \frac{x - y \log x}{y} \right) \frac{dy}{dx} = \frac{y - x \log y}{x}$$

$$\Rightarrow \left( \frac{x - y \log x}{y} \right) \frac{dy}{dx} = \frac{y - x \log y}{x}$$

$$\therefore \frac{dy}{dx} = \frac{y}{x} \left( \frac{y - x \log y}{x - y \log x} \right)$$



14. Find  $\frac{dy}{dx}$  of function  $(\cos x)^y = (\cos y)^x$

**Solution:**

The given function is  $(\cos x)^y = (\cos y)^x$

Taking logarithm on both sides, we obtain

$$y = \log \cos x = x \log \cos y$$

Differentiating both sides with respect to  $x$ , we obtain

$$\log \cos x \cdot \frac{dy}{dx} + y \cdot \frac{d}{dx}(\log \cos x) = \log \cos y \cdot \frac{d}{dx}(x) + x \cdot \frac{d}{dx}(\log \cos y)$$

$$\Rightarrow \log \cos x \cdot \frac{dy}{dx} + y \cdot \frac{1}{\cos x} \cdot \frac{d}{dx}(\cos x) = \log \cos y \cdot 1 + x \cdot \frac{1}{\cos y} \cdot \frac{d}{dx}(\cos y)$$

$$\Rightarrow \log \cos x \cdot \frac{dy}{dx} + \frac{y}{\cos x}(-\sin x) = \log \cos y + \frac{x}{\cos y}(-\sin y) \frac{dy}{dx}$$

$$\Rightarrow \log \cos x \cdot \frac{dy}{dx} - y \tan x = \log \cos y - x \tan y \frac{dy}{dx}$$

$$\Rightarrow (\log \cos x + x \tan y) \frac{dy}{dx} = y \tan x + \log \cos y$$

$$\therefore \frac{dy}{dx} = \frac{y \tan x + \log \cos y}{x \tan y + \log \cos x}$$

15. Find  $\frac{dy}{dx}$  of function  $xy = e^{(x-y)}$

**Solution:**

The given function is  $xy = e^{(x-y)}$

Taking logarithm on both sides, we obtain

$$\log(xy) = \log(e^{x-y})$$

$$\Rightarrow \log x + \log y = (x - y) \log e$$

$$\Rightarrow \log x + \log y = (x - y) \times 1$$

$$\Rightarrow \log x + \log y = x - y$$

Differentiating both sides with respect to  $x$ , we obtain

$$\frac{d}{dx}(\log x) + \frac{d}{dx}(\log y) = \frac{d}{dx}(x) - \frac{dy}{dx}$$

$$\Rightarrow \frac{1}{x} + \frac{1}{y} \frac{dy}{dx} = 1 - \frac{1}{x}$$

$$\Rightarrow \left(1 + \frac{1}{y}\right) \frac{dy}{dx} = \frac{x-1}{x}$$

$$\therefore \frac{dy}{dx} = \frac{y(x-1)}{x(y+1)}$$

16. Find the derivative of the function given by  $f(x) = (1-x)(1+x^2)(1+x^4)(1+x^8)$  and hence find  $f'(1)$

**Solution:**

The given relationship is  $f(x) = (1-x)(1+x^2)(1+x^4)(1+x^8)$

Taking logarithm on both sides, we obtain

$$\log f(x) = \log(1-x) + \log(1+x^2) + \log(1+x^4) + \log(1+x^8)$$

Differentiating both sides with respect to  $x$ , we obtain

$$\frac{1}{f(x)} \cdot \frac{d}{dx}[f(x)] = \frac{d}{dx} \log(1-x) + \frac{d}{dx} \log(1+x^2) + \frac{d}{dx} \log(1+x^4) + \frac{d}{dx} \log(1+x^8)$$

$$\Rightarrow \frac{1}{f(x)} \cdot f'(x) = \frac{1}{1-x} \cdot \frac{d}{dx}(1-x) + \frac{1}{1+x^2} \cdot \frac{d}{dx}(1+x^2) + \frac{1}{1+x^4} \cdot \frac{d}{dx}(1+x^4) + \frac{1}{1+x^8} \cdot \frac{d}{dx}(1+x^8)$$

$$\Rightarrow f'(x) = f(x) \left[ \frac{1}{1-x} + \frac{1}{1+x^2} \cdot 2x + \frac{1}{1+x^4} \cdot 4x^3 + \frac{1}{1+x^8} \cdot 8x^7 \right]$$

$$\therefore f'(x) = (1+x)(1+x^2)(1+x^4)(1+x^8) \left[ \frac{1}{1+x} + \frac{2x}{1+x^2} + \frac{4x^3}{1+x^4} + \frac{8x^7}{1+x^8} \right]$$

$$\text{Hence, } f'(1) = (1+1)(1+1^2)(1+1^4)(1+1^8) \left[ \frac{1}{1+1} + \frac{2 \times 1}{1+1^2} + \frac{4 \times 1^3}{1+1^4} + \frac{8 \times 1^7}{1+1^8} \right]$$

$$= 2 \times 2 \times 2 \times 2 \left[ \frac{1}{2} + \frac{2}{2} + \frac{4}{2} + \frac{8}{2} \right]$$

$$= 16 \times \left( \frac{1+2+4+8}{2} \right)$$

$$= 16 \times \frac{15}{2} = 120$$

17. Differentiate  $(x^2 - 5x + 8)(x^3 + 7x + 9)$  in three easy mentioned below

i. By using product rule

ii. By expanding the product to obtain a single polynomial

iii. By logarithm differentiate

Do they all given the same answer?

**Solution:**

$$\text{Let } y = (x^2 - 5x + 8)(x^3 + 7x + 9)$$

$$(i) \text{ Let } x = x^2 - 5x + 8 \text{ and } u = x^3 + 7x + 9$$

$$\therefore y = uv$$

$$\Rightarrow \frac{dy}{dx} = \frac{du}{dv} v + u \frac{dv}{dx} \quad (\text{By using product rule})$$

$$\Rightarrow \frac{dy}{dx} = \frac{d}{dx} (x^2 - 5x + 8) \cdot (x^3 + 7x + 9) + (x^2 - 5x + 8) \cdot \frac{d}{dx} (x^3 + 7x + 9)$$

$$\Rightarrow \frac{dy}{dx} = (2x - 5)(x^3 + 7x + 9) + (x^2 - 5x + 8)(3x^2 + 7)$$

$$\Rightarrow \frac{dy}{dx} = 2x(x^3 + 7x + 9) - 5(x^3 + 7x + 9) + x^2(3x^2 + 7) - 5x(3x^2 + 7) - 8(3x^2 + 7)$$

$$\Rightarrow \frac{dy}{dx} = (2x^4 + 14x^2 + 18x) - 5x^3 - 35x - 45 + (3x^2 + 7x^2) - 15x^3 - 35x + 24x^2 + 56$$

$$\therefore \frac{dy}{dx} = 5x^4 - 20x^3 + 45x^2 - 52x + 11$$

$$(ii) y = (x^2 - 5x + 8)(x^3 + 7x + 9)$$

$$= x^2(x^3 + 7x + 9) - 5x(x^3 + 7x + 9) + 8(x^3 + 7x + 9)$$

$$= x^5 + 7x^3 + 9x^2 - 5x^4 - 35x^2 - 45x + 8x^3 + 56x + 72$$

$$= x^5 - 5x^4 + 15x^3 - 26x^2 + 11x + 72$$

$$\therefore \frac{dy}{dx} = \frac{d}{dx}(x^5 - 5x^4 + 15x^3 - 26x^2 + 11x + 72)$$

$$\therefore \frac{dy}{dx} = \frac{d}{dx}(x^5) - 5 \frac{d}{dx}(x^4) + 15 \frac{d}{dx}(x^3) - 26 \frac{d}{dx}(x^2) + 11 \frac{d}{dx}(x) + \frac{d}{dx}(72)$$

$$= 5x^4 - 5 \times 4x^3 + 15 \times 3x^2 - 26 \times 2x + 11 \times 1 + 0$$

$$= 5x^4 - 20x^3 + 45x^2 - 52x + 11$$

(iii) Taking logarithm on both sides, we obtain

$$\log y = \log(x^2 - 5x + 8) + \log(x^3 + 7x + 9)$$

Differentiating both sides with respect to x, we obtain

$$\frac{1}{y} \frac{dy}{dx} = \frac{d}{dx} \log(x^2 - 5x + 8) + \frac{d}{dx} \log(x^3 + 7x + 9)$$

$$\Rightarrow \frac{1}{y} \frac{dy}{dx} = \frac{1}{x^2 - 5x + 8} \cdot \frac{d}{dx}(x^2 - 5x + 8) + \frac{1}{x^3 + 7x + 9} \cdot \frac{d}{dx}(x^3 + 7x + 9)$$

$$\Rightarrow \frac{dy}{dx} = y \left[ \frac{1}{x^2 - 5x + 8} \times (2x - 5) + \frac{1}{x^3 + 7x + 9} \times (3x^2 + 7) \right]$$

$$\Rightarrow \frac{dy}{dx} = (x^2 - 5x + 8)(x^3 + 7x + 9) \left[ \frac{2x - 5}{x^2 - 5x + 8} + \frac{3x^2 + 7}{x^3 + 7x + 9} \right]$$

$$\Rightarrow \frac{dy}{dx} = (x^2 - 5x + 8)(x^3 + 7x + 9) \left[ \frac{2x - 5(x^3 + 7x + 9) + (3x^2 + 7)(x^2 - 5x + 8)}{(x^3 - 5x + 8) + (x^3 + 7x + 9)} \right]$$

$$\Rightarrow \frac{dy}{dx} = 2x(x^3 + 7x + 9) - 5(x^3 + 7x + 9) + 3x^2(x^2 - 5x + 8) + 7(x^2 - 5x + 8)$$

$$\Rightarrow \frac{dy}{dx} = (2x^5 + 14x^2 + 18x) - 5x^3 - 35x - 45 + (3x^4 - 15x^3 + 24x^2) + (7x^2 - 35x + 56)$$

$$\Rightarrow \frac{dy}{dx} = 5x^2 - 20x^3 + 45x^2 - 52x + 11$$

From the above three observations, it can be concluded that all the result of  $\frac{dy}{dx}$  are same

18. If  $u$ ,  $v$  and  $w$  are function of  $x$ , then show that  $\frac{d}{dx}(u.v.w) = \frac{du}{dx}.v.w + u \frac{dv}{dx}.w + u.v \frac{dw}{dx}$ .

In two ways – first by repeated application of product rule, second by logarithmic differentiation.

**Solution:**

$$\text{Let } y = u.v.w = u.(v.w)$$

By applying product rule, we obtain

$$\frac{dy}{dx} = \frac{du}{dx}.(v.w) + u.\frac{d}{dx}(v.w)$$

$$\Rightarrow \frac{dy}{dx} = \frac{du}{dx}.v.w + u \left[ \frac{dv}{dx}.w + v.\frac{dw}{dx} \right] \quad (\text{Again applying product rule})$$

$$\Rightarrow \frac{dy}{dx} = \frac{du}{dx}.v.w + u.\frac{dv}{dx}.w + u.v \frac{dw}{dx}$$

By taking logarithm on both sides of the equation  $y = u.v.w$ , we obtain

$$\log y = \log u + \log v + \log w$$

Differentiating both sides with respect to  $x$ , we obtain

$$\frac{1}{y} \cdot \frac{dy}{dx} = \frac{d}{dx}(\log u) + \frac{d}{dx}(\log v) + \frac{d}{dx}(\log w)$$

$$\Rightarrow \frac{1}{y} \cdot \frac{dy}{dx} = \frac{1}{u} \frac{du}{dx} + \frac{1}{v} \frac{dv}{dx} + \frac{1}{w} \frac{dw}{dx}$$

$$\Rightarrow \frac{dy}{dx} = y \left( \frac{1}{u} \frac{du}{dx} + \frac{1}{v} \frac{dv}{dx} + \frac{1}{w} \frac{dw}{dx} \right)$$

$$\Rightarrow \frac{dy}{dx} = u \cdot v \cdot w \left( \frac{1}{u} \frac{du}{dx} + \frac{1}{v} \frac{dv}{dx} + \frac{1}{w} \frac{dw}{dx} \right)$$

$$\therefore \frac{dy}{dx} = \frac{du}{dx} \cdot v \cdot w + u \cdot \frac{dv}{dx} \cdot w + u \cdot v \cdot \frac{dw}{dx}$$